Bådshampoo m/voks

SECTION 1: Identification of the substance/preparation and of the company/undertaking

1.1. Product identifier					
Trade name:	Bådshampoo m/voks				
1.2. Relevant identified	uses of the substance or mixture and uses advised against				
Recommended uses:	Cleaning agent Cleaner				
PC:	Polishes and wax blends (PC31)	Polishes and wax blends (PC31)			
Inadvisable uses:	None.				
1.3. Details of the suppl	ier of the safety data sheet				
Manufacturer					
Company:	Bollerup Jensen Retail A/S				
Address:	Bindesbølvej 16-20, Ådum				
Zip code:	6880				
City:	Tarm				
Country:	DENMARK				

1.4. Emergency Telephone Number

Members of the public: 111 (NHS 111 (Scotland: NHS 24))

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

CLP-classification:	Skin Irrit. 2;H315 Eye Dam. 1;H318 Aquatic Chronic 3;H412
Most serious harmful effects:	Causes skin irritation. Causes serious eye damage. Harmful to aquatic life with long lasting effects.

2.2. Label elements

Pictograms

E-mail:

Phone: Homepage:



Signal word:	Danger
H-phrases	
H315	Causes skin irritation.
H318	Causes serious eye damage.
H412	Harmful to aquatic life with long lasting effects.
P-phrases	
P101	If medical advice is needed, have product container or label at hand.
P102	Keep out of reach of children.
P280	Wear protective glove/eye protection.

info@bollerup-jensen.dk

www.bollerupjensen.dk

+45 9737 6033

Bådshampoo m/voks

P302+352	IF ON SKIN: Wash with plenty of water
P305+351+338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P501	Dispose of contents/container in accordance with local regulations.

2.3. Other hazards

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Substance	CAS No	EC No	REACH Reg. No.	Concentration	Notes	CLP- classification
Premix				1 - 10%		Skin Irrit. 2;H315 Eye Dam. 1;H318 Aquatic Chronic 2;H411
Alcohols, C12- 14, ethoxylated (1-2,5 EO), sulfates, sodium salts	68891-38-3	500-234-8	01-2119488639- 16-	1 - 5%		Skin Irrit. 2;H315 Eye Dam. 1;H318 Aquatic Chronic 3;H412
Premix				< 1%		Skin Irrit. 2;H315 Eye Irrit. 2;H319 Aquatic Chronic 2;H411
Premix				< 1%		Skin Corr. 1A;H314 Eye Dam. 1;H318 Acute Tox. 4;H332 STOT SE 3;H335

Please see section 16 for the full text of H-phrases.

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation:	Seek fresh air.
Ingestion:	Wash out mouth thoroughly and drink 1-2 glasses of water in small sips. Seek medical advice immediately.
Skin contact:	Wash the skin with water.
Eye contact:	Open eye wide, remove any contact lenses and flush immediately with water (preferably using eye wash equipment). Seek medical advice immediately. Continue flushing until medical attention is obtained.
General:	When obtaining medical advice, show the safety data sheet or label.

4.2. Most important symptoms and effects, both acute and delayed

Eye contact may result in deep caustic burns, pain, tearing and cramping of the eyelids. Risk of serious eye injury and loss of sight.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptoms.

SECTION 5: Fire-fighting measures

5.1. Extinguishing media

Suitable extinguishing media:	The product is not directly flammable. Choose extinguishing agents based on the surrounding fire.
Unsuitable extinguishing media:	Do not use water stream, as it may spread the fire.

5.2. Special hazards arising from the substance or mixture

Bådshampoo m/voks

The product is not directly flammable. Avoid inhalation of vapour and fumes - seek fresh air.

5.3. Advice for fire-fighters

Move containers from danger area if it can be done without risk. Avoid inhalation of vapour and flue gases - seek fresh air.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency personnel: Stop leak if this can be done without risk. Wear gloves. Wear safety goggles if there is a risk of eye splash.

For emergency responders: Normal protective clothing equivalent to EN 469 is recommended.

6.2. Environmental precautions

Avoid unnecessary release to the environment. Notify proper authorities in case of contamination of soil or aquatic environment or discharge to drains.

6.3. Methods and material for containment and cleaning up

Contain and absorb spill with sand or other absorbent material and transfer to suitable waste containers. Wipe up minor spills with a cloth. Rinse with water.

6.4. Reference to other sections

See section 8 for type of protective equipment. See section 13 for instructions on disposal.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Avoid contact with skin and eyes. Running water and eye wash equipment must be available.

7.2. Conditions for safe storage, including any incompatibilities

Keep in tightly closed original packaging. Store safely and keep out of reach of children. Store frost-free.

7.3. Specific end use(s)

No special uses in addition to identified uses in 1.2.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limit:	Contains no substances subject to reporting requirements
Measuring methods:	Compliance with the stated occupational exposure limits may be checked by occupational hygiene measurements.

Legal basis:

EH40/2005 Workplace exposure limits. Last amended January 2020.

PNEC

Alcohols, C12-14, ethoxylated (1-2,5 EO), sulfates, sodium salts, cas-no 68891-38-3						
Exposure	Value	Assessment Factor	Extrapolation Method	Note		
PNEC aqua (freshwater)	0,24 mg/l					
water)	0,024 mg/l					
PNEC aqua (intermittent releases)	0,071 mg/l					
PNEC sediment (freshwater)	5,45 mg/kg					
Copyright © 1995 - 2020 DGOffice B.V., www.DGOffice.net 37						

Bådshampoo m/voks

PNEC sediment (marine water)	0,545 mg/kg		
	0,946 mg/kg		
PNEC STP (wastewater- treatment facilities)	10 g/l		

DNEL - workers

Alcohols, C12-14, ethoxylated (1-2,5 EO), sulfates, sodium salts, cas-no 68891-38-3						
Exposure	Value	Assessment Factor	Dose Descriptor	Main Impact Parameter	Note	
Dermal DNEL (long- term exposure - systemic effects)	2750 mg/kg bw/day					
Inhalation DNEL (long-term exposure - systemic effects)	175 mg/m³					

DNEL - general population

Alcohols, C12-14, eth	Alcohols, C12-14, ethoxylated (1-2,5 EO), sulfates, sodium salts, cas-no 68891-38-3							
Exposure	Value	Assessment Factor	Dose Descriptor	Main Impact Parameter	Note			
Oral DNEL (long- term exposure - systemic effects)	15 mg/kg bw/day							
Inhalation DNEL (long-term exposure - systemic effects)	52 mg/m³							
Dermal DNEL (long- term exposure - systemic effects)	1650 mg/kg bw/day							

8.2. Exposure controls

Appropriate engineering Wear the personal protective equipment specified below. **controls:**

Personal protective equipment, Wear safety goggles. **eye/face protection:**

Personal protective equipment, Not required. skin protection:

Personal protective equipment, Wear gloves. Type of material: Nitrile rubber/ Butyl rubber/ Neoprene rubber/ Rubber. hand protection:

Personal protective equipment, Not required. respiratory protection:

Environmental exposure Ensure compliance with local regulations for emissions.

controls:

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Parameter		Value/unit
State	Liquid	
Colour	Beige Light brown	
Odour	Characteristic	
Solubility	Soluble in water.	
Explosive properties	Non-explosive	
Oxidising properties	Non-oxidising.	
Parameter	Value/unit	Remarks

Bådshampoo m/voks

pH (solution for use)	No data	
pH (concentrate)	8.5	±0,5
Melting point	No data	
Freezing point	No data	
Initial boiling point and boiling range	No data	
Flash Point	No data	
Evaporation rate	No data	
Flammability (solid, gas)	No data	
Flammability limits	No data	
Explosion limits	No data	
Vapour pressure	No data	
Vapour density	No data	
Relative density	1.0 g/ml	
Partition coefficient n-octonol/water	No data	
Auto-ignition temperature	No data	
Decomposition temperature	No data	
Viscosity	No data	
Odour threshold	No data	

9.2 Other information

SECTION 10: Stability and reactivity

10.1. Reactivity

No known data.

10.2. Chemical stability

The product is stable when used in accordance with the supplier's directions.

10.3. Possibility of hazardous reactions

None known.

10.4. Conditions to avoid

Avoid direct sunlight.

10.5. Incompatible materials

None known.

10.6. Hazardous decomposition products

None known.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

irritation:	Risk of serious eye injury and loss of sight.
Serious eye damage/eye	Eye contact may result in deep caustic burns, pain, tearing and cramping of the eyelids.
Skin corrosion/irritation:	May cause slight irritation.
Acute toxicity - inhalation:	No hazards.
Acute toxicity - dermal:	Test data are not available.
Acute toxicity - oral:	Ingestion may cause discomfort.

Copyright © 1995 - 2020 DGOffice B.V., www.DGOffice.net

Bådshampoo m/voks

Respiratory sensitisation or skin sensitisation:	Test data are not available.
Germ cell mutagenicity:	Test data are not available.
Carcinogenic properties:	Test data are not available.
Reproductive toxicity:	Test data are not available.
Single STOT exposure:	Test data are not available.
Repeated STOT exposure:	Test data are not available.
Aspiration hazard:	Test data are not available.
Other toxicological effects:	None known.

SECTION 12: Ecological information

12.1. Toxicity

Occasional major emissions or frequently recurring minor emissions may have a harmful or disturbing effect.

12.2. Persistence and degradability

Readily biodegradable.

12.3. Bioaccumulative potential

Test data are not available.

12.4. Mobility in soil

Test data are not available.

12.5. Results of PBT and vPvB assessment

The product does not contain any PBT or vPvB substances.

12.6. Other adverse effects

None known.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Collect concentrated spills and major waste in closed, leak-proof containers for disposal at the local hazardous waste site. Uncleansed packaging is to be disposed of via the local waste-removal scheme. Empty, cleansed packaging should be disposed of for recycling.

Category of waste:

EWC code: Depends on line of business and use, for instance 07 06 99 wastes not otherwise specified 15 01 02 plastic packaging

SECTION 14: Transport information

14.1. UN-No.: 14.2. UN proper shipping name: 14.3. Transport hazard class(es):

Not applicable. Not applicable. Not applicable. 14.4. Packing group: 14.5. Environmental hazards: Not applicable. Not applicable.

14.6. Special precautions for user

Copyright © 1995 - 2020 DGOffice B.V., www.DGOffice.net

Bådshampoo m/voks

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

SECTION 15: Regulatory information

15.1. Safety, health and envi	ronmental regulations/legislation specific for the substance or mixture
Special Provisions:	Regulation (EC) of the European Parliament and on the Council no. 1272/2008. Special care should be applied for employees under the age of 18. Young people under the age of 18 may not carry out any work causing harmful exposure to this product.
15.2. Chemical Safety Asses	sment
Other Information:	Chemical safety assessment has not been performed.
SECTION 16: Other inform	nation
Abbreviations:	DNEL: Derived No Effect Level PNEC: Predicted No Effect Concentration STOT: Specific Target Organ Toxicity PBT: Persistent, Bioaccumulative and Toxic vPvB: Very Persistent and Very Bioaccumulative
References to literature and data sources:	ECHA reg. sub.: ECHA database for information on registered substances.
Other Information:	This safety data sheet has been prepared for and applies to this product only. It is based on our current knowledge and the information that the supplier was able to provide about the product at the time of preparation. The safety data sheet complies with applicable law on preparation of safety data sheets in accordance with 1907/2006/EC (REACH) as subsequently changed.
Training advice:	A thorough knowledge of this safety data sheet should be a prerequisite condition.
Classification method:	Calculation based on the hazards of the known components.
List of relevant H-statements	5
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H335	May cause respiratory irritation.
H411 H412	Toxic to aquatic life with long lasting effects. Harmful to aquatic life with long lasting effects.
SDS is prepared by	Pollorup Jongon Croup A/S
Company: Address:	Bollerup Jensen Group A/S Bindesbølvej 16-20
Zip code:	6880
City:	Tarm
Country:	DENMARK
E-mail:	info@bollerup-jensen.dk
Homepage:	www.bollerupjensen.dk
Document language:	GB
Print date: 26/11/2020	